

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)[Cases](#)**Search Results**

Term	Documents
MASK\$	0
MASK.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	62131
MASKA.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	2
MASKABLE.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	140
MASKANT.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	42
MASKANTS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	5
MASKB.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
MASKC.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
MASKDEVELOPING.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
MASKDT.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
MASKED.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	2346
((MASK\$ AND BIT\$1 AND INDEX\$.TI.).USPT,PGPB,JPAB,EPAB,DWPI,TDBD.	3

There are more results than shown above. [Click here to view the entire set.](#)

Database:

US Patents Full-Text Database
US Pre-Grant Publication Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L41

[Refine Search](#)[Recall Text](#)[Clear](#)**Search History**

DATE: Tuesday, May 21, 2002 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L41</u>	(mask\$ and bit\$1 and index\$).ti.	3	<u>L41</u>
<u>L40</u>	5778213.pn.	3	<u>L40</u>
<u>L39</u>	5157606.uref.	16	<u>L39</u>
<u>L38</u>	5778213.uref.	1	<u>L38</u>
<u>L37</u>	4130882.uref.	24	<u>L37</u>
<u>L36</u>	L35 and (column\$1 near\$ mask\$)	1	<u>L36</u>
<u>L35</u>	((704/8)!.CCLS.)	214	<u>L35</u>
<u>L34</u>	L33 and (logical near\$ operat\$)	0	<u>L34</u>
<u>L33</u>	L32 and index\$	13	<u>L33</u>
<u>L32</u>	L31 and (compress\$ near\$ bit\$1)	14	<u>L32</u>
<u>L31</u>	(row\$1 near\$ mask\$) same (column\$1 near\$ mask\$)	458	<u>L31</u>
<u>L30</u>	L29 and 'and'	0	<u>L30</u>
<u>L29</u>	L28 and index\$	5	<u>L29</u>
<u>L28</u>	'mask columns' and 'character set'	9	<u>L28</u>
<u>L27</u>	L26 and (mask\$ near\$ column\$1)	1	<u>L27</u>
<u>L26</u>	'search index' and (mask\$ near\$ bit\$1)	23	<u>L26</u>
<u>L25</u>	'search index' and 'masking bits'	5	<u>L25</u>
<u>L24</u>	L23 and mask\$	0	<u>L24</u>
<u>L23</u>	6141656.pn.	2	<u>L23</u>
<u>L22</u>	L21 and (mask\$ near\$ column\$1)	3	<u>L22</u>
<u>L21</u>	L20 and index\$	25	<u>L21</u>
<u>L20</u>	L19 and (ascii near\$ code\$1)	59	<u>L20</u>
<u>L19</u>	(character\$1 near\$ bit\$1) same (mask\$)	390	<u>L19</u>
<u>L18</u>	(4788617 4945475 5010478 5036457 5204958 5218696 5265244 5283894 5321816 5418947 5430869 5446887 5475837 5644763 5752243 5758356 5764877 5794228 5813000 5815723 5826253 6043819 6078925 6112304 6141656 6144957)! [pn]	68	<u>L18</u>
<u>L17</u>	L16 and (match\$ or compar\$)	12	<u>L17</u>
<u>L16</u>	L15 and bit\$1	12	<u>L16</u>
<u>L15</u>	L14 and mask\$	12	<u>L15</u>
<u>L14</u>	L13 and ((logical or boolean) near\$ (operat\$))	12	<u>L14</u>
<u>L13</u>	l1 and l9	122	<u>L13</u>
<u>L12</u>	L11 and ((logical or boolean) near\$ (operat\$))	3	<u>L12</u>
<u>L11</u>	L10 and ((search\$ or query\$) near\$ (index\$))	19	<u>L11</u>
<u>L10</u>	(bit\$1 near\$ map\$) same (mask\$)	905	<u>L10</u>
<u>L9</u>	bit\$1 near\$ map\$	23649	<u>L9</u>
<u>L8</u>	L7 and l1	0	<u>L8</u>
<u>L7</u>	L5 and (character\$ near\$ set\$1)	8	<u>L7</u>
<u>L6</u>	L5 and (natural near\$ language\$1)	0	<u>L6</u>
<u>L5</u>	L4 and (search\$ near\$ index\$)	31	<u>L5</u>

<u>L4</u>	L3 and ((boolean or logical) near5 (operat\$))	1816	<u>L4</u>
<u>L3</u>	(bit\$1 near5 mask\$)	12595	<u>L3</u>
<u>L2</u>	L1 and (column\$1 near5 mask\$)	6	<u>L2</u>
<u>L1</u>	universal near5 code\$1	2727	<u>L1</u>

END OF SEARCH HISTORY

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)[Cases](#)**Search Results -**

Term	Documents
"UNIVERSAL CODE" DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	0
CHARACTERS DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	238142
CHARACTER DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	367458
("UNIVERSAL CODE" NEAR5 CHARACTERS).USPT,PGPB,JPAB,EPAB,DWPI,TDBD.	25
('UNIVERSAL CODE' NEAR5 'CHARACTERS').USPT,PGPB,JPAB,EPAB,DWPI,TDBD.	25

Database:

US Patents Full-Text Database
US Pre-Grant Publication Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L7

[Refine Search](#)[Recall Text](#)[Clear](#)**Search History****DATE:** Monday, May 20, 2002 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L7</u>	'universal code' near5 'characters'	25	<u>L7</u>
	(3988715 4610025 4773009 4829580 4890230 4930077 5062143		
<u>L6</u>	5182708 5251131 5371673 5371807 5392419 5418951 5548507	44	<u>L6</u>
	5608624 5715446)! [pn]		
<u>L5</u>	5913185.pn.	3	<u>L5</u>
<u>L4</u>	L2 and (table\$1 same column\$1)	1	<u>L4</u>
<u>L3</u>	L2 and (table\$1 near5 column\$1)	0	<u>L3</u>
<u>L2</u>	(character\$1 and mask\$).ti.	214	<u>L2</u>
<u>L1</u>	(character\$1 and mask\$ and table\$1).ti.	0	<u>L1</u>

END OF SEARCH HISTORY

WEST

Your wildcard search against 2000 terms has yielded the results below

Search for additional matches among the next 2000 terms

Generate Collection

Print

Search Results - Record(s) 1 through 3 of 3 returned.☐ 1. Document ID: US 20020051448 A1

L12: Entry 1 of 3

File: PGPB

May 2, 2002

PGPUB-DOCUMENT-NUMBER: 20020051448

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020051448 A1

TITLE: Method and apparatus for filtering packets based on flows using address tables

PUBLICATION-DATE: May 2, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Kalkunte, Mohan	Sunnyvale	CA	US	
Ambe, Shekhar	San Jose	CA	US	
Kadambi, Shiri	Los Altos Hill	CA	US	

US-CL-CURRENT: 370/389; 370/236, 370/392, 370/412

[Full](#) [Title](#) [Citation](#) [Front](#) [Review](#) [Classification](#) [Date](#) [Reference](#) [Sequences](#) [Attachments](#) [Claims](#) [RWD](#) [Draw Desc](#) [Image](#)

☐ 2. Document ID: US 6317872 B1

L12: Entry 2 of 3

File: USPT

Nov 13, 2001

US-PAT-NO: 6317872

DOCUMENT-IDENTIFIER: US 6317872 B1

TITLE: Real time processor optimized for executing JAVA programs

DATE-ISSUED: November 13, 2001

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Gee; John K.	Mt. Vernon	IA		
Greve; David A.	Cedar Rapids	IA		
Hardin; David S.	Cedar Rapids	IA		
Kamin; Raymond A.	Marion	IA		
Hiratzka; T. Douglas	Coralville	IA		
Mass; Allen P.	Lisbon	IA		
Masters; Michael H.	Cedar Rapids	IA		
Mykris; Nick M.	Cedar Rapids	IA		

US-CL-CURRENT: 717/152; 707/206, 711/206, 712/202, 712/209, 717/118, 717/140

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	FORM	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	-----------	-------

☐ 3. Document ID: US 6278992 B1

L12: Entry 3 of 3

File: USPT

Aug 21, 2001

US-PAT-NO: 6278992

DOCUMENT-IDENTIFIER: US 6278992 B1

TITLE: Search engine using indexing method for storing and retrieving data

DATE-ISSUED: August 21, 2001

INVENTOR INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Curtis; John Andrew	Plain City	OH	43064	
Scherer; Gordon Frank	Westerville	OH	43081	

US-CL-CURRENT: 707/3; 707/100, 707/103R, 707/2, 707/500, 707/513

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------

FORM	Draw Desc	Image
------	-----------	-------

Generate Collection

Print

Term	Documents
LOGICAL.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	15554
LOGICALS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	129
BOOLEAN.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	12934
BOOLEANS.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	190
OPERAT\$	0
OPERAT.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	861
OPERATA.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	9
OPERATABIE.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
OPERATABILI.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	4
OPERATABILILY.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	1
OPERATABILITIES.DWPI,TDBD,EPAB,JPAB,USPT,PGPB.	4
(L11 AND ((LOGICAL OR BOOLEAN) NEAR5 (OPERAT\$))).USPT,PGPB,JPAB,EPAB,DWPI,TDBD.	3

[There are more results than shown above. Click here to view the entire set.](#)

Display Format:

CIT

Change Format

[Previous Page](#)

[Next Page](#)

[Advanced Search](#) [Preferences](#) [Language Tools](#) [Search Tips](#)

characters masking index search universal code

Google Search

[Web](#) [Images](#) [Groups](#) [Directory](#)Searched the web for **characters masking index search universal code** Results 1 - 10 of about 1,230 Search

IBM DB2 Universal Database Text Information Extender Version

7.2 ...

IBM DB2 Universal Database Text ... and end **masking**, for whole ... and simple **characters**. Searchesfor ... you can **code** an SQL ... application to **search** for ... nn/db2te/index.htm ...
www6.software.ibm.com/devcon/devcon/docs/db72timu.htm - 13k - [Cached](#) -[Similar pages](#)

IBM US Announcement Letter

... allow for **masking** using wild ... string of **characters**. ... DB2, DB2 Universal Database and ... possibleto **index** and **search** on date ... Priority/Reference **Code**: AE001 Phone ...www.ibm.link.ibm.com/usalets&parms=H_201-119 - 35k - [Cached](#) - [Similar pages](#)

Sponsored Links

Masking - Shercon, Inc.

Caps, plugs, tapes, discs, books, racks and custom masking solutions.

www.shercon.comInterest: [xxxxxxxx](#)

Search Engine Cloaker

Get 1000s of listings in search engines with cloaking software.

internet-affiliate-marketing.comInterest: [xxxxxx](#)[See your message here...](#)

Developer.be : Functions - International functions -

... local time to **Universal** Coordinated Time (UTC) or ... a time value. mask **Masking characters**that determine ... 9999 AD. mask **Characters** that show how ... Sample **code** here. ...www.developer.be/.../fuseaction/cffunctionsList/GroupID/ 8/FunctionGroupName/International%20functions.htm - 37k - [Cached](#) - [Similar pages](#)

Developer.be : Functions - Date and time functions -

... Converts local time to **Universal** Coordinated Time (UTC) or ... a time value. mask **Masking characters** that determine the format: ... to date. Sample **code** here. ...

www.developer.be/.../fuseaction/cffunctionsList/GroupID/

4/FunctionGroupName/Date%20and%20time%20functions.htm - 61k - [Cached](#) - [Similar pages](#)

Technical Bulletin 235: Keyword Searching Changes in WorldCat

... to mask **characters**, etc., please ... changes. The **masking** character # retrieves 1 ... Medicine, and **Universal** Decimal class ... least 1 **code** u ... not **index** a ... keyword **search**. ...www.oclc.org/oclc/tb/tb235/tb235.htm - 50k - [Cached](#) - [Similar pages](#)

5 Keyword searching [OCLC WorldCat - Searching WorldCat User ...

... more about **masking characters** in keywords ... an LCCN number. **Universal** Decimal class ... 041 (Language **Code**). ... of the **search**. The only ... access method **index** (am ...www.oclc.org/worldcat/searching/guide/keyword/ - 83k - [Cached](#) - [Similar pages](#)[More results from www.oclc.org](#)]

[PDF] Searching Outline

File Format: PDF/Adobe Acrobat - [View as HTML](#)... way to **search** for something is ... the character **code** as an ... we have 2 **characters**, we use ... used to **index** into the ... 2 by **masking** 14 Hash ... 9 17 "**Universal**" hash function ...harvard.altisimo.com/cscie119/lectures/slides/day10.pdf - [Similar pages](#)

Favorites

... e xtc b-**masking** Siddhartha [K ... of morse **code**. ... a XE.com: **Universal** Currency Converter ... sound files' **Search** Results for ... Led Zeppelin **Index**. ... Latin-1) **Characters** List ...www.ronlent.com/bookmarks/ - 101k - [Cached](#) - [Similar pages](#)

Letter C -- Acronym Reference

... Computer Assisted **Search** Service. CAS, ... Commercial Data **Masking** Facility. ... Method. CPS, **Characters** Per Second ... to Send **Code** Segment. CTB, ... Completely **Universal** Processor I ...
www.newbie.org/reference/spellb_c.html - 59k - [Cached](#) - [Similar pages](#)

[PDF] RUSSMED BOOKS

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... system (=default). **Search** language(s ... Version 12.2001 **Universal** Decimal ... front-end-**masking**
recommended 2 ... basic **index** Command ... DC Decimal **Code** F ... All **characters** such ...
www.dimdi.de/engl/dbmemoe/sv88eng.pdf - [Similar pages](#)

Google

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

characters masking index search universal code

Google Search

[Search within results](#)

Dissatisfied with your results? [Help us improve.](#)

Try your query on: [AltaVista](#) [Excite](#) [Lycos](#) [Yahoo!](#)

[Google Home](#) - [Advertise with Us](#) - [Search Solutions](#) - [News and Resources](#) - [Language Tools](#) -
[Jobs](#) - [Press](#) - [Cool Stuff...](#)

©2002 Google

[Advanced Search](#) [Preferences](#) [Language Tools](#) [Search Tips](#)

universal code

Google Search

[Web](#) [Images](#) [Groups](#) [Directory](#)Searched the web for **universal code**.

Results 1 - 10 of about 1,480,000. Search took 0.26 seconds.

Categories: [Business > Industries > Construction and Maintenance > Codes](#) [Society > History > Timelines](#)

UCC: Home

Uniform **Code** Council Home. Contact. Glossary. Site Map. Careers. Search. AboutUCC. About UCC. Membership. Membership, Events. ... 2002 Uniform **Code** Council, Inc.

Description: UCC takes global leadership role in establishing and promoting multi-industry standards for product...

Category: [Business > E-Commerce > Standards and Protocols](#)www.ucc-council.org/ - 34k - 20 May 2002 - [Cached](#) - [Similar pages](#)

Universal Code Flag: A symbol of hope for the new century, ...

... Flag. A Symbol of Hope and Unity. The **Universal** Flag was created in response to the ... a banner for "secular" values. A secular **code** is something that could be very ...www.universal-code.net/ - 8k - [Cached](#) - [Similar pages](#)

Alternate Alphabet, Numbers, Letters & Characters

Social Intellect Reformation. The Brasseur **Universal Code** is a system of symbolic logic characters. Each of the symbolic logic characters has an inherent ...

Description: Details on an alternative to the standard alphabet based on a system of symbolic logic characters.

Category: [Science > Social Sciences > ... > Germanic > English > Spelling Reform](#)webhome.idirect.com/~gemstone/ - 7k - [Cached](#) - [Similar pages](#)

Harvard Dept of MCB - More Biology Links

The "**Universal**" Genetic **Code**. In form of codon, Left-Top-Right (ATG is Met). T, C, A, G, T, Phe, Ser, Tyr, Cys, T. C. Leu, Ter, Ter, A. ...www.mcb.harvard.edu/BioLinks/gencode.html - 16k - [Cached](#) - [Similar pages](#)

The "**Universal**" Genetic Code

... A good reference on deviations from the "**Universal**" **Code** can be found in: Recent evidence for evolution of the genetic **code**. Osawa S; Jukes; TH; Watnabe K ...prowl.rocketeller.edu/aainfo/gencode.html - 8k - [Cached](#) - [Similar pages](#)

Universal Code Flag: Strength, Wisdom, Knowledge, Courage, Love, ...

The **Universal Code** Flag can now be found at: www.universal-code.net.www.sharkfire.com/universal-morality/universal-morality-flag.html - 2k - [Cached](#) - [Similar pages](#)

US Supports **Universal Code** Against Missile Proliferation

... 11 February 2002. US Supports **Universal Code** Against Missile Proliferation. France is leading ...usinfo.state.gov/topical/pol/arms/02021101.htm - 7k - [Cached](#) - [Similar pages](#)

97-10: Use of the **universal code** character set

PROPOSAL NO: 97-10. DATE: May 1, 1997 REVISED: NAME: Use of the **universal code** character set in MARC records. ...www.loc.gov/marc/marbi/1997/97-10.html - 23k - [Cached](#) - [Similar pages](#)

[PDF] Self-Describing Cryptography through Certified **Universal Code** ...


[Advanced Search](#) [Preferences](#) [Language Tools](#) [Search Tips](#)

universal code characters

Google Search

[Web](#) [Images](#) [Groups](#) [Directory](#)
Searched the web for **universal code characters** Results 1 - 10 of about 228,000 Search took 0.22 seconds.Category: [Computers > Software > Globalization > Character Encoding](#)

Alternate Alphabet, Numbers, Letters & Characters

... human mind. Looking at the display drawing of the sixty-four **universal code characters** can have an immediate and lasting effect on your intellect. Locked within ...

Description: Details on an alternative to the standard alphabet based on a system of symbolic logic **characters**.

Category: [Science > Social Sciences > ... > Germanic > English > Spelling Reform](#)

webhome.idirect.com/~gemstone/ - 7k - [Cached](#) - [Similar pages](#)

97-10: Use of the universal code character set

... trip mapping. The Subcommittee was able to map most of the **characters** in the existing USMARC sets to unique character **code** values in the **universal** set. The ...

www.loc.gov/marc/marbi/1997/97-10.html - 23k - [Cached](#) - [Similar pages](#)

97-14: Addition of new characters to existing USMARC sets

... as the platform for their Arabic systems. These **characters** are also, of course, in the **universal code** character set, which was based on independent assessments ...

www.loc.gov/marc/marbi/1997/97-14.html - 8k - [Cached](#) - [Similar pages](#)

[[More results from www.loc.gov](#)]

Universal Product Code (UPC) and EAN Article Numbering Code (EAN ...

... The **Universal Product Code** was the first ... The Japanese Article Numbering (JAN) **code** has a single version ... EAN versions with the flag **characters** set to "49". ...

www.adams1.com/pub/russadam/upccode.html - 25k - [Cached](#) - [Similar pages](#)

Product Coding, Bar Codes - Check Digit Calculator, Universal ...

... Check Digit Calculator UPC Version A (UPC-A) **Universal Product Code** (UPC) PROCEDURE: Enter all the eleven digit **characters** in the INPUT box below. Do not leave ...

www.expon911.com/e911/coding/digiCalc.htm - 14k - [Cached](#) - [Similar pages](#)

A Universal Computer Braille Code for Literary and Scientific ...

... the correlation of mathematical and foreign language **characters**. This has resulted in a user-friendly **universal** braille **code** that permits the combination of ...

www.braille.org/papers/unive/unive.html - 22k - [Cached](#) - [Similar pages](#)

Help Net Security

... adv/TL001/ Topic: IIS allows **universal** CrossSiteScripting. Discovery date: 13 March ... to escape any special **characters** in the **code**. Any / character will end ...

www.net-security.org/text/bugs/1018533151,19734,.shtml - 17k - [Cached](#) - [Similar pages](#)

Using national and special characters in HTML

... The most **universal** way: ASCII, character references, and UTF-8 ... designed for the Turkish language. The **characters** needed have **code** positions FD, F0, DE, FE ...

www.cs.tut.fi/~jkorpela/html/chars.html - 31k - [Cached](#) - [Similar pages](#)

UPC (Universal Perdition Code?) - upc image

... Some other names-- UPC = **Universal Product Code** (or Uniform ... Hospital patients wear bar-**code** ID bracelets. - - - Barcodes ... 2 types of **characters**, Left A (normal ...